Missouri Botanical Garden

Peter H. Raven Library

George Engelmann Botanical Notebooks



Pagination Note:
Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

Mam. pusilla. &c - The Specimens
in N.B.G compare well with D'Candolles
discript. & with Dons (Gard. Dict.) They also
compare well with Engl^ns figure
in Cact. of Boyd. P.V. -

Is our plant var Texana Engl^m? -
I think not - it has 3 main radial spines
while var Texana appears, by figure to have
about 8. ? - Apr 13/76.
vide plant + fruit + flower dried to-day

M —



MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



24-119

The mamilla is a pulvinus

Ea Mamillaria

1051-A

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Mam pusilla var Texana

1051

135

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



9.

Mamillophellosperma

top view



back view

top view

front view, showing hilum

10 mam. pusilla var texana

Tu VII. 2

Mam phellosperma Aug. 1855. seed 0.2 long embryo 0.5 to 0.6 do subglobose globose — hilum basilar, linear of Cotyledons therefore undistinguishable no trace of albumen or chalaza no hilum distinctly visible in the 3 lobed sponge within mass

Mam. pusilla from Eagle pass seed 0.6 long embryo 0.4 long embryo compressed cotyledons distinguishable — chalaza dark distinct but no albumen

1052

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GE[illegible]N PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Manihotaria reniva

24-31

Frankfurt Feb 1895

1052-A

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Mamillaria sphaerica
P. Rocther cult.

May 1861

fruit of last year
dull purplish with
tinge of brown

×8

front back
no carina

1053

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

M. W. ALEXANDER,

SOUTH-EAST CORNER FOURTH AND MARKET STREETS,

ST. LOUIS.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



II

Frankfurt Febr 1857

1 front

Mam. procera (coll Jacobi)

seed 0.4 – 0.45 long, dark brown, corbiculate anteriorily compressed, carinate; hilum subventral, linear

2 front

Mam. Sempervivi macrotheke (coll Jacobi)

seed 0.5 – 0.55; light yellowish brown, slightly corbiculate or rugulose; anteriorily compressed, carinate; hilum very small oblong subbasilar.

Seeds of var: lactescens are very slightly smaller and a little more distinctly corbiculate

1054

3 front

Mam. cirrhifera (coll. Jacobi)

seed 0.5 narrow, acute below, carinate in front light yellow-brown, almost smooth; hilum very small, oblong, subbasilar

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

Seminia Cactarum — VII — Mamillaria — 1055 — Febr 1856

Febr. 1856

1. M. lasiacantha

black, Sem 0.5 long globoso-ovoid, laeviter sorobiculatis hilum basilare ovale.

2. M pusilla Texas ex V. 10



black
Sem 0.6 long, obovata; sorobiculata, non the hilum very slightly so; hilum ovoid, narrow basilar

3. mamill. barbata

Sem. 0.6 long obliquely obovate, much compressed on the anterior edge, hilum anterior, small oval colour blackish brown

4. Mam. Grahami

black
Sem 0.5 long slightly sorobiculate, compressed anteriorly and superiorly; hilum narrow, basilar.

5. Mam Wrightii

black
Sem 0.6-0.7 long, sorobiculate, black; obovate acute at base, compressed superiorly & anteriorly hilum anterior, narrow, small

6. Mam elongata DC cult 

Sem light yellow brown 0,5 long very slightly sorobiculate, obovate; hilum narrow, small, anterior.

7. Mam applanata Type

Sem light yellowish brown, 0.5 ÷ the Caput Myrmecodiantes rugulose; obovate globose; compressed laterally & superiorly, hilum basilar, long, narrow

8. Mam hemisphaerica Ait Grande

M. microcarpa has the same seeds

Sem abt 0,5 long, more distinctly sorobiculate than the last — obovate, hilum narrow, subbasilar.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Frankf. Febr. 1857

1056

1

front view

2

front

3

4

front

5

front

6

front

mam. Borcana Pouzy (ex coll. Jacobi)
seeds 0.4. long, brown, rather thick, with subcentral funid elongated hilum, approaching somewhat M. phellosperma
Surface reticulate, like M. radiosa

mam. magnimamma B. arietina (Jacobi
seeds 0.5 (– 0.55) long, brown, almost smooth or with very slight rugosity (unripe)
compressed and somewhat truncate forward
hilum ventral, on the edge, oblong, very small.

mam. spectabilis (coll. Jacobi)
Seeds 0.5 (– 0.55) long, brown, very slightly rugose & reticulate, sometimes, even when ripe angular and irregular; thicker than M. magnimamma; compressed and edged forward & downward; hilum very small oblong, on the lower part of the edge, subventral.

mam. ericacantha (coll. Jacobi)
Seeds 0.4 – 0.45 long, brown, thick, rounded almost smooth or very slightly reticulate
hilum subventral, oblong brown, small.

mam. bicarinata (coll Jacobi)
seeds 0.4 or a little longer, compressed (black brown) madly carved, distinctly reticulate; hilum subbasilar small, brown; front of seed much compressed, carinate

mam. Conceptionensis (coll Jacobi
seed 0.5 or a little more, light brown very slightly reticulate or almost smooth. thick, carinate below in front; hilum subbasal, very small, oblong,

of these 1 & 5 seem peculiar, 2. 3. 4 & 6 might belong to the same species

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN



Mam. Hystrix (Hort Dyck) fl. apparently deciduous

sed 0.4. redbrown, slightly rorobiculate, carina ventral, hilum small, oval subbasilar.

Mam Hystrix (Coll. Jacobi)

sed 0.5. yellowish brown, elongated, acute below; slightly rorobiculate, carina subventral, hilum small subbasilar.

M. Capsh Medusae (Coll. Jacobi)

sed 0.5 yellowish brown, slightly rugose rorobiculate; carina ventral, hilum narrowly oblong, small, subventral

4 is a very peculiar Corypha ta, albuminosa, the other 4 belong to the more common form of Maximiliana. 5 & 6 near 2; 1 of more distinct

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



III

1057

Frankfurt Febr. 1857

Mam. Kewensis (Jacobi coll.)

Seed 0.5 or a little less, light brown, lightly
sorobiculate, raphe subcentral,
hilum narrow, small subcentral

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN


0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI
BOTANICAL
GARDEN

1058

Mam. mutabilis (Hort Dyck)
fruit clavate, fl. deciduous; seed 0.5. yellowish brown, smooth; ventral side sharply carinate, pointed below, hilum very small, oblong, subventral.

Mam. macracantha (Hort Dyck)
fruit short clavate; fl. deciduous, umbilicus wide, shallow, seed 0.5; very much like the last, reddish brown, very slightly rugulose or scrobiculate, carinate dorsally; pointed below, hilum small oblong subventral.

Mam. centricirrha (Hort Dyck)
fruit similar to last short, obovate clavate fl. deciduous; umbilicus wide — seed 0.6 larger than in any of the allied ones; obtuse acute below, carinate anteriorly; hilum oblong linear, subventral, seed yellowish brown, smooth.

Mam. pulchella (Hort Dyck)
fr elongate clavate; fl. persistent; seed only 0.4, short, thick, obovate; obliquish below, yellowish brown, distinctly scrobiculate (not rugose — scrobiculate, like most others; compressed anteriorly, but not carinate; hilum oblong linear, larger; subventral.

Mam. megacantha nigrior (Hort. Dyck)
fr with persistent flowers (or subpersistent) seed 0.6, absolutely like M. centricirrha ~~dark purple~~ slightly scrobiculate; acute below; carinate; etc

6 pendicor = II.1 ; 2 = II.4; 3.4.5.7 about equal; 5 & 7 larger than any of the others

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN



0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

IV

Frankfurt Febr 1857

Mam polythele var quadrispina (H. Dyck)
fruit elongate elavate, purplish red; fl. persistent
seed 0.4 light brown, very slightly scrobiculate
rugose, carinate anteriorly, with very small
oblong subcentral hilum.

Mam polythele latimamma (H. Dyck).
seed 0.5. light brown, very slightly rugulose
carinate anteriorly; etc hil subcentral
or almost subbasilar.

1059

the same (ex coll Jacobi)
seed 0.5. - light brn, slightly scrobiculate et
hilum almost subbasilar.

M. polythele affinis (coll. Jacobi)
seed 0.5 — 0.5. similar to ~~X~~ No. 2 but larger
hilum more subcentral — all these very
strongly carinate + fruit.

M. phaeoantha (coll Jacobi)
fruit with ~~x~~ + brownish black flowers; seed 0.45.
slightly scrobiculate, carinate anteriorly
small hilum subbasilar, and yellowish

M. Stübeli "probably var. of M. phaeoantha"
fruit same; seed 0.5 — 0.55 — redbrown (coll Jacobi)
hilum subcentral, rarely more subbasilar!

Mam. Webbiana (coll Jacobi)
seed 0.5 or 0.55; light yellow brown,
very slightly scrobiculate rugulose,
hilum very small oblong, subcentral or
sometimes almost subbasilar —

M. Webbiana β. longispina mihi (coll Jacobi)
seed 0.55 light brown, slightly scrobiculate,
thick, hilum subbasilar!

M. recondita coll Jacobi
seed 0.5. light brn, almost smooth [the
fullest grains — the staminoms more scrobiculate
(the same?)] hilum sub basilar almost

Nothing peculiar among all these — hilum sometimes more basilar sometimes more ventral

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

V.

Frankfurt Febr. 1857

1



Mam. Hermanniana fruit elongated, with persistent flower (Hort Dyck) seed (coll Jacobi) 0.5–0.55 elongated acute, light brown, almost smooth sharply carinate anteriorly; hilum oblong linear subbasilar

2

Mam. Schumanna (coll Jacobi) - sed 0.5–0.55 elongate acute below, regularly orbiculate, sharply carinate anteriorly hilum oblong linear subbasilar.

3

4 Jacobi

Mam. Schelhasii (Hort Dyck) fruit elongate clavate with persistent flower; seed 0.4–0.5 obovate subglobose, light brown, distinctly orbiculate; hilum subcentral oblong linear comparatively large, and somewhat spongy. Coll. Jacobi has a little smaller seeds & smaller hilum

5



Mam foveolata muhlenpf (coll Jacobi) seed 0.5 almost smooth light brown, elongate ovate, sharply carinate truncate in front hilum very narrow & small, subbasilar = fig 1

6

Mam. subpolyedra (coll Jacobi) seed 0.4–0.45 very slightly angulose orbiculate — thick, slightly carinate in front; hilum ~~small~~ oval subcentral.

7



Mam discentra Jacobi (coll Jacobi) seed 0.5–0.55 almost smooth light brown sharply carinate on lower half of ventral side; hilum oblong linear subcentral or almost subbasilar

8

Mam acinulata (coll Jacobi) seed (0.45 / 0.5 light brown, very lightly orbic. rugose; carinate anteriorly; hilum subcentral linear.

1060

3&4 are probably = mam Boolsana T. 1

0 1 2 3 4 5 6 7 8 9 10 cm
copyright reserved
MISSOURI BOTANICAL GARDEN

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

VI

Frankfurt Febr. 1857

Mam. decumana (Coll Jacobi)
seed 0.6 thick, obovate subglobose, the carpels of this class of Mamillaria, redbrown, almost smooth; carinate only in lower part of front; hilum sub(lateral) ovate.
subventral

Mam glochidiata (Coll Jacobi)
seed 0.5 – 0.6 light brown, almost smooth or slightly reticulate; testa slightly carinate in front; hilum oval ventral below.

Mam Uhdeana Salm (Coll Jacobi)
seed 0.4 – 0.5 brown thick, subglobose obovate, distinctly tuberculate, not carinate in front; hilum subventral, oblong linear.

Mam Krameri (Coll Jacobi)
Seed 0.55 – 0.6 elongated, acute light or red brown, distinctly slightly reticulate tuberculate strongly carinate in front; hilum subventral, linear.

Mam Haynii (Coll Jacobi)
seed 0.5 light brown; distinctly tuberculate obovate, compressed, somewhat obtusely carinate in front; hilum subventral, oval, broader below.

Mam spinosissima (Coll Jacobi)
seed 0.4 – 0.45 brown, distinctly but finely dotted, not nigro-tuberculate; thick; obovate scarcely carinate in front; hilum oblong, subventral

M. purpurascens Ehrenb (Coll Jacobi)
0.4 – 0.45 brown, distinctly tuberculate, scarcely carinate in front; hilum subventral oblong linear

M. Euchlora (Coll Jacobi) also M. polyacantha
entirely the same!

M. Hermanni (Coll Jacobi)
0.45 – 0.5 obovate, compressed, brown tuberculate; obtusely carinate anteriorly; hilum ventral, oblong linear

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

VII

Frankfurt Febr. 1857

1

Mam nigra (Coll Jacobi)

Seed 0.5. anteriorly compressed, obtusely carinate; brown, irrobiculate; hilum subventral, oblong linear.

1061

2

Mam. Wegneri (Coll Jacobi)

Seed 0.45–0.5 anteriorly compressed but rarely carinate; brown, irrobiculate, hilum subventral, oblong linear

3

Mam. rubidula (Coll Jacobi)

Seed 0.45–0.5 brown, irrobiculate; anteriorly compressed, rather round, but rarely carinate, hilum almost ventral; ovate or oblong.

4

Mam. formosa (Coll Jacobi)

Seed 0.55–0.6 – light brown slightly reticulate irrobiculate; anteriorly carinate, hilum subventral linear oblong.

5

Mam pusilla major (Hort Dyck)

Seed 0.65–0.7 black brittle; anteriorly compressed, ~~obcarinate~~; hilum oval elongated, ruved, subbasal. Seed strongly irrobiculate (fl. persistent)

6

Mam. multiceps (Hort Dyck)

Seed 0.5–0.6, black brittle; strongly irrobiculate anteriorly compressed subcarinate; hilum oval, elongated, ruved, subbasal. (fl. persistent)

7

Mam. Wildiana (Coll Jacobi)

Seed 0.4–0.45 – black brittle, strongly irrobiculate sparsely compressed anteriorly, but dorsally not carinate; hilum linear oblong, ruved, basal

fl. deciduous

8

Mam. Wildiana rosea (Coll Jacobi)

Seed 0.5–0.55; black brittle, strongly compressed below; globose above, not carinate; hilum oblong, basilar surrounded by an inflated margin – (seed much larger, more strongly irrobiculate and remarkably collariform or collate than M. Wildiana

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

March 26 1870

Mamillaria Longchamata Eng

Penins. Californ. Wm M Gabb 1867

red fruit

×8

hilum

1062

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

CHAS. HABICHT & CO.,

Successors to

Enno Sander & Co.,

PHARMACEUTISTS,

Walnut & Fourth Sts.,
SOUTHERN HOTEL,

Walnut & Second Sts.,
BARNUM'S HOTEL,

ST LOUIS, MO.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10 cm
copyright reserved
MISSOURI BOTANICAL GARDEN

eines schönen Herbstmorgens zurückkehrte und die Nachricht empfing, Leontine Simonis wäre die verlobte Braut eines fremden Mannes, der um sie angehalten und nach den üblichen Weitläufigkeiten als ihm bald vermählte Gattin gewonnen hätte!

Sancho war in Verzweiflung. Sein ganzer Lebensfrühling war wie von einem Sturme geknickt. Das Gerücht war kein Gerücht; er sah die Verlobungskarte, sah dies verhängnißvolle glänzende kleine Blatt, das inzwischen auch ihm war geschickt worden. Leontine verlobt! Mit einem fremden reichen Manne! Wahrheit, Wahrheit war's! Er schloß sich in sein Zimmer und weinte. An Sammlung, Fassung war nicht zu denken. Er ging nicht aus, schon vor Furcht, man möchte ihm begegnen, von dieser Verbindung mit ihm sprechen und seiner getäuschten Hoffnungen erwähnen; er ging nicht aus, weil er krank wurde. Er bot einen Anblick, der Mitleid erregte. Er aß und trank nichts. Er saß nur starr und stützte das Haupt auf. Sein Bart wuchs ihm, wie nach den Vorschriften der Trauer, die seinem Volke geboten sind. Das Feuer seiner Augen erlosch. Er saß da, stumm und starr. Wehmuth machte ihn ohnmächtig zu einem Entschlusse. Es rührte ihn Alles. Der Gedanke an sich selbst am meisten. Seine Gedichte, die in so schönem Goldschnitt neben ihm sauber geschrieben lagen, blickten ihn wie bittend, wie selbst hülflos, nicht einmal mitleidig und tröstend an; bedurften nicht auch sie erst des Fortkommens in dieser kalten Welt, bis sie selbst anerkannt Andern Trost spenden konnten? Alles stand so still, so geisterhaft um ihn. Diese Verlobungskarte war das Einzige, was redete. Die schwatzte und lachte oder „kicherte," wie sein Heinrich Heine gesagt haben würde. Er saß wie in Dämmerung einen Tag und den zweiten halben noch. Die Sonne schien nicht und doch ließ er alle Vorhänge herab, nur um nichts zu sehen, nichts als seinen Schmerz, der keineswegs Goethe'scher, die Poesie befruchtender Schmerz war. Er stöhnte laut. Er warf sich vom Sopha bald auf seine drei alten gepolsterten Stühle mit Kattunüberzügen, bald aufs harte Bett, bald wieder auf das noch härtere Sopha. Der Schmerz trieb ihn immer wieder auf. Seine Nachbarn mußten ihn seufzen hören. Es war der ganze bekannte furchtbare Druck, den der Mensch im Unglück so recht mitten auf dem Sonnengeflechte fühlt, derselbe Druck, der ihn das Leben in jener ganzen Schalheit und Unersprießlichkeit empfinden ließ, die schon Hamlet fühlte, als er sich umbringen wollte und auch dies, um ganz vergessen zu können, für einen unnützen Ausweg erklärte.

Na, was haben Sie denn, Doctor? sagte seine Wirthin und pflegte ihn mit heißem Thee und zuthunlicher Liebe und erfuhr seinen ganzen Schmerz. So freundliche Frauenworte und Frauenhülfe lindern schon gar sehr. Am zweiten Tage Abends mußte er sich sagen: Es gibt doch im Menschengemüthe ganz wunderbare Heilquellen. Sie fließen so tief geheimnißvoll, unbekannt und räthselhaft. Wir wissen gar nicht, wo sie herkommen, wissen nicht, wo den furchtbaren Druck des Kummers plötzlich von unten her ein so treu Geheimes emporhebt. Man vergeht im Schmerze wie vor Durst und es sickert plötzlich ein Trost herauf mitten in der Wüste. Es wird warm an einer Stelle, irgendwo, vielleicht im Auge oder es klingt ein Rauschen am Ohr, vielleicht ein Heimathsgefühl, eine Jugenderinnerung. Meist ist es Heimath und Jugend, die wie plötzlich lebendig anklopfen und wir machen auf und sehen erst Niemanden, dann aber Aeltern und Geschwister, denen wir trotz aller Verachtung der Welt dennoch lieb bleiben, wir fühlen, etwas, das von ihnen wie eine belebende Wärme uns entgegenströmt. O die Heilkraft der Natur ist ein Geschenk des Himmels, für das wir knieend danken sollten! Es bewahrt uns vor Verzweiflung, reicht uns in düsterster Finsterniß die warme treue Hand des unsichtbaren Führers, der uns schon manches Jahr gehalten hat, und hebt uns wieder empor und läßt uns sogar reifer erstehen von unserm Kummerlager, als wir uns mit tausend geistigen Schmerzen niederlegten. Dann ergreift wohl ein Vater die

1062-A

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved MISSOURI BOTANICAL GARDEN

Missouri Botanical Garden
George Engelmann Papers

Feder und schreibt seinen Kindern oder eine Mutter nimmt ein Briefblatt und schreibt einer Freundin, und hier ergriff ein Sohn die Feder und schrieb an seinen alten Vater Levi Ezechiel Sancho, Bücherhändler, einst auf der Karre, jetzt in einem Laden nicht weit von der lateinischen Schule der alten Hansastadt. Moritz schrieb einen Brief mit der schlichten Anrede: „Lieber Vater!" und der schlichten Unterschrift: „Dein treuer Sohn Moses" und die einfachste Sprache, deren Inhalt zwar dem Vater Kummer machte, wurde eine Stärkung für den Sohn. Als er Licht angezündet, das Siegelwachs erwärmt, die Adresse auf den zusammengelegten Brief geschrieben hatte und noch spät Abends zur Post ging, um dem Vater sein Unglück zu melden, wurde es Sancho'n viel leichter. Er mußte sich ja finden. Es half nichts; denn es gab in vier Wochen keine Leontine Simonis mehr, sondern nur noch eine Leontine Herz.

Leontine Herz hatte ihren Aeltern große Freude gemacht. Einmal, daß sie sich nach einigem Weigern in Pyrmont zu dieser Partie entschloß, dann, daß sie bei den Heirathspacten es durchsetzte, daß ihr Gemahl in die Residenz ziehen mußte. Der Schwiegersohn, Michael Herz, hatte früher in einer andern Residenz unsers residenzlichen Vaterlandes gewohnt, war daselbst der Sohn eines Hoffinanzagenten und ein außerordentlich geschliffener, weit schon in der Welt herumgekommener Geschäftsmann. Er hatte — doch es wird nothwendig sein, diesem Gemahl Leontinens mindestens dieselbe Aufmerksamkeit zu schenken, wie dem Doctor Moritz Sancho, der sich durch das Studium der Künste und Wissenschaften einstweilen für seinen Verlust zu trösten sucht. Was er erlebt hatte, gehört zu Heinrich Heine's „alten Geschichten," die sich täglich ereignen und eigentlich Dem nur interessant sind, dem sie „just passiren."

Zweites Capitel.

Michael Herz.

Michael Herz konnte beim ersten Anblick für Das gelten, was man oft und nicht selten mit Grund eine „gewöhnliche Geldseele" nennt. Sein Aeußeres deutete allerdings auf enge Grundsätze. Er war klein, nicht gerade häßlich, aber für die Rolle eines Schiffers auf dem Comersee der Ideale ziemlich ungeeignet. Michael Herz hatte stechende, ausdrucksvolle Augen, eine große Stirn, die an den Schläfen schon graue, auf dem Wirbel gar keine Haare mehr zeigte. Er trug zwar einen sehr großen modernen Bart, den er aber nur im ersten Jahre seiner Ehe mit einiger Sorgfalt behandelte, färbte und pflegte, später vernachlässigte und nur zuweilen noch, wenn die Schwiegerältern ein Diner gaben oder das junge Paar irgendwo ausgebeten war, zum Gegenstand philokomischer Studien machte. Seine Gesichtszüge waren markant, mager, schon mit Furchen durchzogen. Sein Gang, wenn er mit der Cigarre auf sein in einem andern Theile der Stadt gelegenes Comptoir — er hatte sich eine eigene Speculation fast mehr zur Unterhaltung als aus Bedürfniß zugelegt — wanderte, war von den Grazien verlassen und nur durch eine gewisse Sicherheit sich auszeichnend; Sicherheit war überhaupt der Charakter seines ganzen Wesens. Er war so sicher, daß er sogar Witz und Scharfsinn besaß. Er hatte die Welt schon mannichfach kennen gelernt und viel beobachtet. Michael Herz trieb Nationalökonomie, höhern Mercantilismus, Freihandel, Politik mit Leidenschaft und man würde ein himmelschreiendes Unrecht thun, wenn man ihn dabei einen Verächter des Schönen genannt hätte. In den Wissenschaften hatte er solide Grundlagen gelegt. Er las vielerlei in den Morgenstunden und oft bis spät des Abends. Am liebsten Englisch und Französisch. Der Geschmack seiner alten und neuen Freunde war nicht immer der seinige. Er lächelte anfangs über die Schwärmerei seiner verlobten Braut, aber auch über die scherzhaften Einfälle der Oberflächlichkeit, die dem Witze auch Alles opfern wollte. Er ließ sich wohl die Späße munden, die auf der Börse am glücklichsten zufällig, minderglücklich privilegirt gemacht werden, aber mit bannalen Phrasen war doch nicht Alles bei ihm abge-

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
Missouri Botanical Garden

Mamillaria 1063 May 17 1870

~~Arizona~~ Dr Palmer 1869
Southern Utah

scarlet berry

×8



surface
×60

Seed black crustaceous
pitted. Hilum small
basilar oblong-linear

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

CHAS. HABICHT & CO.,

Successors to

Enno Sander & Co.,

PHARMACEUTISTS,

Walnut & Fourth Sts.,
SOUTHERN HOTEL,

Walnut & Second Sts.,
BARNUM'S HOTEL,

ST LOUIS, MO.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

cm 0 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN